

CONSOLIDATED REFERENCES

- Ahilan, S., M. Guan, A. Sleigh, N. Wright and H. Chang. 2018. The influence of floodplain restoration on flow and sediment dynamics in an urban river. *J. Flood Risk Management*. 11: 986-1001. doi:[10.1111/jfr3.12251](https://doi.org/10.1111/jfr3.12251)
- Allmendinger, N., J. Pizzuto, G. Moglen and M. Lewicki. 2007. A sediment budget for an urbanizing watershed 1951-1996. Montgomery County, Maryland. *JAWRA*. 43(6):1483-1497.
- Altland, D., J. Coleman and D. Hostetler. 2019. Proposed methods to improve protocol 3. Presented to Stream Restoration Group 4. February, 2019.
- An, D. 2018. Regenerative stream conveyance: construction guidance. First edition. Maryland Dept of Natural Resources and Alliance for the Chesapeake Bay. Annapolis, MD.
- Anderson, P. and S. Pezeshki. 1999. The effect of intermittent flooding on seedlings of three forest species. *Photosynthetica*. 37(4): 543-552.
- Angelov, M., S. Sung, R. Doong and C. Black. 1996. Long- and short-term flooding impacts on survival and sink-source relationships of swamp-adapted trees. *Tree Physiology*. 16: 477-484.
- Audie, M. 2019. Influence of groundwater residence time on biogeochemical transformations after legacy sediment removal from a headwater stream in Lancaster County, PA. Presentation to USWG 10/18/2019. U.S EPA. Region 3. Water Division. Philadelphia, PA. <https://chesapeakestormwater.net/download/9729/>
- Baldigo, B., A. Ernst, D. Warren and S. Miller. 2010. Variable responses of fish assemblages, habitat and stability to natural channel design restoration in Catskill mountain streams. *Transactions of the American Fisheries Society*. 139:449-467.
- Baltimore Department of Public Works (BPDW). 2006. NPDES MS4 stormwater permit annual report for 2005. Submitted to Maryland Department of Environment. Water Management Administration. Baltimore, MD.
- Beaulieu, J. and others. 2015. Urban stream burial increases watershed-scale nitrate export. *Plos One*. <https://doi.org/10.1371/journal.pone.0132256>.
- Bergmann, K. and A. Clausen. 2011. Using bank erosion and deposition protocol to determine sediment load reductions achieved for streambank erosion. Brandywine Valley Association, West Chester, PA.
- Bernhardt, E., M. Palmer, J. Allan and 22 others. 2005. Synthesizing U.S. river restoration efforts. *Science*. 29(308): 636-637.

Bigham, K., T. Moore, J. Vogel and T. Keane. 2018. Repeatability, sensitivity, and uncertainty analyses of the BANCS model developed to predict annual streambank erosion Rates. *Journal of the American Water Resources Association*.
<https://doi.org/10.1111/1752-1688.12615>

Blevins, E., L. McMullen, S. Jepsen, M. Blackburn, A. Code and S. Black. 2019. Mussel-friendly restoration: a guide to the essential steps for protecting freshwater mussels in aquatic and riparian restoration, construction and land management projects and activities. 32 pp. Portland, OR. The Xerces Society for Invertebrate Conservation.

Boano, F., J. Harvey, A. Marion, A. Packman, R. Revelli, L. Ridolfi and A. Wörman. 2014. Hyporheic flow and transport processes: mechanisms, models, and biogeochemical implications. *Rev. Geophys.* 52: 603–679. doi:10.1002/2012RG000417

Booth, D. and P. Henshaw. 2001. Rates of channel erosion in small urban streams. *Water Science and Application*. 2:17-38.

Bremner, J. 1996. Nitrogen-Total. p. 1085-1121. In D.L. Sparks (ed). *Methods of Soil Analysis, Part 3. Chemical Methods*. Soil Science Society of America Book Series Number 5. American Society of Agronomy, Madison, WI.

Brown, K. 2000. Stream restoration practices: an initial assessment. Center for Watershed Protection. Ellicott City, MD.

Bukavekas, P. 2007. Effects of channel restoration on water velocity, transient storage, and nutrient uptake in a channelized stream. *Environmental Science and Technology*. 41:1570-1576.

Cardenas, M. 2015. Hyporheic zone hydrologic science: A historical account of its emergence and a prospectus. *Water Resource. Res.* 51:3601–3616.
doi:10.1002/2015WR017028

Chesapeake Stormwater Network (CSN). 2019. Proposed charge for small team to recommend options for crediting floodplain restoration projects involving legacy sediments. Urban Stormwater Work Group of Chesapeake Bay Program. 10/1/2019.

Cianfrani, C., W. Hession and D. Rizzo. 2006. Watershed impervious impacts on stream channel conditions in southeastern Pennsylvania. *Journal of American Water Resources Association*. 42(4):941-956.

Cizek, A., W. Hunt, R. Winston and M. Lauffer. 2017. Hydrologic performance of regenerative stormwater conveyance in the North Carolina coastal plain. *J. Environmental Engineering*. 143: 05017003 10.1061/(ASCE)EE.1943-7870.0001198

Clearwater, D. 2019. Floodplain reconnection: unintended consequences. Presentation to Group 12/2/2019. Wetlands and Waterways Program. Maryland Dept. of Environment. <https://chesapeakestormwater.net/download/9865/>

Clilverd, H., J. Thompson, C. Heppell, C. Sayer, and J. Axmacher. 2016. Coupled hydrological/hydraulic modelling of river restoration impacts and floodplain hydrodynamics. *River Res. Applic.* 32: 1927-1948. DOI: 10.1002/rra.3036.

Cluer, B. and C. Thorne. 2014. A stream evolution model integrating habitat and ecosystem benefits. *River Research and Applications*. 30:135–154. DOI: 10.1002/rra.2631<https://doi.org/10.1002/rra.2631>

Coastal Resources Inc. 2010. Physical stability monitoring of stream and wetland restoration projects. Anne Arundel County, Maryland.

Coleman, J. and D. Altland. 2020. Restored floodplain velocity case study analysis. Memo to Group 4. February 7, 2020.

Costa J. 1975. Effects of agriculture on erosion and sedimentation in the Piedmont Province, Maryland. *Geological Society of America Bulletin*. 86: 1281–1286.

Craig, L., M. Palmer, D. Richardson, S. Filoso, E. Bernhardt, B. Bledsoe, M. Doyle, P. Groffman, B. Hassett, S. Kaushal, P. Mayer, S. Smith and P. Wilcock. 2008. Stream restoration strategies for reducing river nitrogen loads. *Frontiers in Ecology and the Environment*. 6(10):529-538.

Cristea, N. and J. Janisch. 2007. Modeling the effects of riparian buffer width on effective shade and stream temperature. Washington State Department of Ecology. Publication No. 07-03-028.

Cuda, J., Z. Rumlerova, J. Bruna, H. Skalova, and P. Pysek. 2017. Floods affect the abundance of invasive *Impatiens glandulifera* and its spread from river corridors. *Diversity and Distributions*. 23:342-354. doi: 10.1111/ddi.12524.

Davis, S., R. Starr and C. Eng. 2014. Rapid stream restoration monitoring protocol. CBPO-S14-01. Chesapeake Bay Field Office. U.S. Fish and Wildlife Service. Annapolis, MD.

Doll, B., G. Grabow, K. Hall, J. Halley, W. Harman, G. Jennings and D. Wise. 2003. *Stream Restoration-- A Natural Channel Design Handbook*. North Carolina State University. Raleigh, NC. 140 pp.

Doll, B., J. Johnson, J. Page, D. Line. 2018. Evaluation of nutrient reduction crediting strategies for stream restoration. NC Division of Water Resources. Raleigh, N.C.

Domenico, P.A. and F.W. Schwartz, 1990. *Physical and Chemical Hydrogeology*, John Wiley & Sons, New York, 824 p.

Donovan, M., A. Miller, M. Baker and A. Gellis. 2015. Sediment contributions from floodplain and legacy sediments in piedmont streams of Baltimore County, Maryland. *Geomorphology*. 235: 88-105.

Downs, P., S. Dusterhoff and G. Leverich. 2018. Fluvial system dynamics derived from distributed sediment budgets: perspectives from an uncertainty-bounded application. *Earth Surface Processes and Landforms*. 43(6): 1335-1354.

Doyle, M., E. Stanley and J. Harbor. 2003. Hydro-geomorphic controls and phosphorus retention in streams. *Water Resources Research*. 39(6): 1147-1164.

Duan, S., P. Mayer, S. Kaushal, B. Wessel and T. Johnson. 2019. Regenerative stormwater conveyance (RSC) as a restoration approach to nutrient management may depend on carbon quantity, quality and source. *Science of the Total Environment*. 652:134-146.

Dugdale, S., I. Malcolm, K. Kantola and D. Hannah. 2018. Stream temperature under contrasting riparian forest cover: Understanding thermal dynamics and heat exchange processes. *Science of The Total Environment*. 610-11: 1375-1389.

Elmore, A. and S. Kaushal. 2008. Disappearing headwaters: patterns of stream burial due to urbanizations. *Front Ecol Environ*. 6: 308-312.

Elosegi, A., Elorriaga, C., Flores, L. and E. Martz. 2016. Restoration of wood loading has mixed effects on water, nutrient, and leaf retention in Basque mountain streams. *Freshwater Sci*. 35:41–54. DOI: 10.1086/684051.

Ensign, S. and M. Doyle. 2005. In-channel transient storage and associated nutrient retention: evidence from experimental manipulation. *Limnology and Oceanography*. 50(6): 1740-1751.

Fanelli, R. and L. Lautz. 2008. Patterns of water, heat, and solute flux through streambeds around small dams. *Groundwater*. 46:671–687. DOI: 10.1111/j.1745-6584.2008.00461.x.

Fanelli, R., K. Prestegard, and M. Palmer. 2019. Urban legacies: aquatic stressors and low aquatic biodiversity persist despite implementation of regenerative stormwater conveyance systems. *Freshwater Science*. 38(4): 818-833.

Filoso, S and M. Palmer. 2011. Assessing stream restoration effectiveness at reducing nitrogen export to downstream waters. *Ecological Applications*. 21(6): 1989-2006.

Filoso, S. 2012. Sediment flux measurements in Anne Arundel County streams. Unpublished data presented at Expert Panel Research Workshop. January 25, 2012

Filoso, S., S. Smith, M. Williams and M. Palmer. 2015. The efficacy of constructed stream-wetland complexes at reducing the flux of suspended solids to Chesapeake Bay. *Environ. Sci. Technol*. 49: 8986–8994.

Filoso, S. 2020. Evaluating the effectiveness and sustainability of novel stream restoration designs for coastal plain streams in Maryland: integrating existing and new data from restoration monitoring. Final Report for the CBT Pooled Monitoring Initiative's Restoration Research Program. Solomons, Maryland.

Fleming, P., D. Merritts and R. Walter. 2019. Legacy sediment erosion hot spots: a cost-effective approach for targeting water quality improvements. *Journal of Soil and Water Conservation*. 74:67A-73A. doi:10.2489/jswc.74.4.67A

Flores, H. 2011. Design guidelines for regenerative step pool storm conveyance. Revision 3. Anne Arundel County Department of Public Works. Annapolis, MD.

Folzer, H., J. Dat, N. Cappelli and P. Badot. 2006. Response of sessile oak seedlings (*Quercus petraea*) to flooding: an integrated study. *Tree Physiology*: 26: 759-766.

Forshay, K. 2019. Restoring stream-floodplain connection with legacy sediment removal increases denitrification and nitrate retention, Big Spring Run, PA, USA. Presentation to USWG 10/18/2019. U.S EPA. Office Research and Development, Ada, OK. <https://chesapeakestormwater.net/download/9733/>

Fraley, L., A. Miller and C. Welty. 2009. Contribution of in-channel processes to sediment yield in an urbanizing watershed. *Journal of American Water Resources Association*. 45(3):748-766.

Garsen, A., A. Pedersen, L. Voesnek, J. Verhooven and M. Soons. 2015. Riparian plant community response to increased flooding: a meta-analysis. *Global Change Biology*. 21: 2881-2890.

Gatto, L. 1988. Techniques for measuring reservoir bank erosion. U.S. Army Corps of Engineers. Cold Regions Research and Engineering Laboratory. Hanover, NH.

Gellis, A., M. Meyers, G. Noe, C. Hupp, E. Schenk and L. Myers. 2017. Storms, channel changes and a sediment budget for an urban-suburban stream, Difficult Run, Virginia, USA. *Geomorphology*. 278: 128-148.

Ghestem, M., R. Sidle, A. Stokes. 2011. The influence of plant root systems on subsurface flow: implications for slope stability. *BioScience*. 61(11): 869-879. <https://doi.org/10.1525/bio.2011.61.11.6>.

Gillespie, J., G. Noe, C. Hupp, A. Gellis and F. Schenk. 2018. Floodplain trapping and cycling compared to streambank erosion of sediment and nutrients in an agricultural watershed. *Journal of the American Water Resources Association*. 54(2): 565-582.

Goldman, M. and B. Needleman. 2015. Wetland restoration and creation for nitrogen removal: challenges to developing a watershed-scale approach in the Chesapeake Bay coastal plain. *Advances in Agronomy*. 132: 1-38.

Grant, S., M. Azizian, P. Cook, F. Boana, and M. Rippy. 2018. Factoring stream turbulence into global assessments of nitrogen pollution. *Science*. 259:1266-1269.

Groffman, P., D. Bain, L. Band, K. Belt, G. Brush, J. Grove, R. Pouyat, I. Yesilonis and W. Zipperer. 2003. Down by the riverside: urban riparian ecology. *Frontiers in Ecology and Environment*. Ecological Society of America. 1(6): 98-104.

Group 1. 2019. Recommended methods to verify stream restoration practices built for pollutant crediting in the Chesapeake Bay watershed. Approved by Urban Stormwater Workgroup. Chesapeake Bay Program.

Group 2. 2019. Recommendations for crediting outfall restoration projects in the Chesapeake Bay watershed. Technical memo approved by Urban Stormwater Workgroup and Water Quality Goal Implementation Team. Chesapeake Bay Program.

Group 3. 2019. Consensus recommendations for improving the application of the prevented sediment protocol for stream restoration project built for pollutant removal credit. Technical memo approved by Urban Stormwater Workgroup and Water Quality Goal Implementation Team. Chesapeake Bay Program.

Group 4, 2020. Consensus recommendations to improve Protocols 2 and 3 for defining stream restoration removal credits. Technical memo approved by Urban Stormwater Workgroup and Water Quality Goal Implementation Team. Chesapeake Bay Program.

Guignet, D. 2019. Presentation to Group 1. 2/2/2019. Community floodplain regulations to participate in the national floodplain insurance program. Division of Environmental Assessment and Standards. Maryland Dept. of Environment.

<https://chesapeakestormwater.net/download/9861/>

Hale, R. and S. Swearer. 2017. When good animals love bad restored habitats: how maladaptive habitat selection can constrain restoration. *Journal of Applied Ecology* 54:1478–1486.

Harman, W., R. Starr, M. Carter, K. Tweedy, M. Clemmons, K. Suggs and C. Miller. 2011. A function-based framework for developing stream assessments, restoration, performance standards and standard operating procedures. U.S. Environmental Protection Agency. Office of Wetlands, Oceans and Watersheds. Washington, D.C.

Harrison, M., P. Groffman, P. Mayer, S. Kaushal and T. Newcomer. 2011. Denitrification in alluvial wetlands in an urban landscape. *Journal of Environmental Quality*. 40:634-646.

Hartranft, J., D. Merritts, R. Walter and M. Rahnis, 2010. The Big Spring Run experiment: policy, geomorphology and aquatic ecosystems in the Big Spring Run watershed, Lancaster County, PA. Franklin and Marshall University. Lancaster, PA. *Sustain: A Journal of Environmental and Sustainability Issues*. 24:24-30.

<http://louisville.edu/kiesd/sustain-magazine>

Hartranft, J. 2019. Big Spring Run restoration project: background and monitoring results. Pennsylvania DEP and PA Legacy Sediment Workgroup. CSN Webcast on 11.21.2019. https://chesapeakestormwater.net/events/big_spring_run_research/

Hester, E. and M. Gooseff. 2010. Moving beyond the banks: Hyporheic restoration is fundamental to restoring ecological services and functions of streams. *Environmental Science Technology*. 44:1521-1525.

Hester, E., Hammond, B. and D. Scott. 2016. Effects of inset floodplains and hyporheic exchange induced by in-stream structures on nitrate removal in a headwater stream. *Ecol. Eng.* 97:452–464. doi:10.1016/j.ecoleng.2016.10.036

Hester, E., Brooks, K., and D. Scott. 2018. Comparing reach scale hyporheic exchange and denitrification induced by instream restoration structures and natural streambed morphology. *Ecol. Eng.* 115:105–121. doi:10.1016/j.ecoleng.2018.01.011

Hilderbrand, R., M. Kashiwagi and A. Prochaska. 2014. Regional and local scale modeling of stream temperatures and spatial-temporal variation in thermal sensitivities. *Environmental Management*. 54(1): 14–22. DOI: 10.1007/s00267-014-0272-4

Hilgartner, W., D. Merritts, R. Walter and M. Rhanis. 2010. Pre-settlement habitat stability and post-settlement burial of a tussock sedge (*Carex stricta*) wetland in a Maryland piedmont river valley. In 95th Ecological Society of America Annual Meeting, Pittsburgh, PA. 1-6 August 2010.

Hill, T., E. Kulz, B. Munoz and J. Dorney. 2011. Compensatory stream and wetland mitigation in North Carolina: an evaluation of regulatory success. North Carolina Dept. of Environment and Natural Resources. Raleigh, NC.

Hupp, C., Noe, G., Schenk, E., and A. Benthem., 2013. Recent and historic sediment dynamics along Difficult Run, a suburban Virginia Piedmont stream. *Geomorphology*. 180-181: 156-169
<http://www.sciencedirect.com/science/article/pii/S0169555X12004606>, <http://dx.doi.org/10.1016/j.geomorph.2012.10.007>.

Jacobson R. and D. Coleman. 1986. Stratigraphy and recent evolution of Maryland Piedmont flood plains. *American Journal of Science*. 286: 617–637.

Jacobson, R., G. Lindner and C. Bitner. 2015. The role of floodplain restoration in mitigating flood risk, Lower Missouri River, USA. *Geomorphic approaches to integrated floodplain management of lowland fluvial systems in North America and Europe*.

- James, M., J. Chandler, A. Eltner, C. Fraser, P. Miller, S. Robson and S. Lane. 2019. Guidelines for the use of structure-from-motion photogrammetry in geomorphic research. *Earth Surf. Process Landforms*. 44: 2081–2084.
- Johnson, P., R. Tereska, and E. Brown. 2002. Using technical adaptive management to improve design guidelines for urban instream structures. *Journal of American Water Resources Association*. 38(4): 1143-1156.
- Johnson, S. 2004. Factors influencing stream temperatures in small streams: substrate effects and a shading experiment. *Can. J. Fish. Aquat. Sci.* 61: 913–923.
- Jordan, T. 2007. Wetland restoration and creation best management practice (agricultural). Definition of nutrient and sediment reduction efficiencies for use in calibration of the phase 5.0 Chesapeake Bay Program Watershed Model. Smithsonian Environmental Research Center. Edgewater, MD.
- Jordan, T., J. Thompson, W. Brogan and C. Pelc. 2019. Effects of a stream restoration on water quality and fluxes of nutrients and suspended solids. Presentation to the Urban Stormwater Workgroup in March 2019.
https://www.chesapeakebay.net/channel_files/32639/jordan_muddycr_urbanstormwaterworkgroup.pdf
- Kaplan, L., T. Bott, J. Jackson, J. Newbold and B. Sweeney. 2010. Protecting headwater streams: the scientific basis for safeguarding stream and river ecosystems. A research synthesis of the Stroud Water Research Center.
- Kaushal, S., P. Groffman, P. Mayer, E. Striz and A. Gold. 2008. Effects of stream restoration on denitrification at the riparian-stream interface of an urbanizing watershed of the mid-Atlantic US. *Ecological Applications*. 18(3): 789-804.
- Kaushal, S., P. Groffman, L. Band, E. Elliott, C. Shields and C. Kendall. 2011. Tracking nonpoint source nitrogen pollution in human-impacted watersheds. *Environmental Science & Technology*. 45(19): 8225-8232.
- Kaushal, S., K. Wood, and P. Mayer. 2019. [Tree trade-offs in stream restoration projects: impact on riparian groundwater quality](https://chesapeakestormwater.net/download/9857/). Presentation to Group 4 in October 2019.
<https://chesapeakestormwater.net/download/9857/>
- Klapproth, J. and J. Johnson. 2009. Understanding the science behind riparian Forest Buffers: Effects on Water Quality. Virginia Cooperative Extension, Virginia Tech. VCE Pub# 420-150.
- Klocker, C., S. Kaushal, P. Groffman, P. Mayer and R. Morgan. 2009. Nitrogen uptake and denitrification in restored and unrestored streams in urban Maryland USA. *Aquatic Sciences*. 71:411-424.

Koepke, J. 2017. Urban stream restoration and applied practices in northeast Illinois. *Journal of Green Building*. 12: 13–27. <https://doi.org/10.3992/1943-4618.12.2.13>

Koryto, K., W. Hunt and J. Page. 2017. Hydrologic and water quality performance of regenerative stormwater conveyance installed to stabilize an eroded outfall. *Ecological Engineering*. 108:263–276.

Kreeger, D., C. Gatenby and P. Bergstrom. 2018. Restoration of several native species of bivalve molluscs for water quality improvement in mid-Atlantic watersheds. *Journal of Shellfish Research*. 37(5): 1121-1157.

Lammers, R. and B. Bledsoe. 2017. What role does stream restoration play in nutrient management? *Crit. Rev. Environ. Sci. Technol.* 47: 335–371.
doi:10.1080/10643389.2017.1318618

Land Studies, Inc. 2005. Stream bank erosion as a source of pollution: research report.

Land Studies, Inc., 2016. Impact of hyporheic exchange on stream temperature in restored systems. Project research report. Lancaster, PA.

Land Studies. 2017. Brubaker Run floodplain restoration design report. East Hempfield Township, Lancaster County, PA.

Langland, M. and S. Cronin. 2003. A summary report of sediment processes in the Chesapeake Bay and watershed. U.S. Geological Survey Water Resources Investigations Report.

Langland, M., J. Duris, T. Zimmerman, and J. Chaplin. 2020. Removal of legacy sediments and effects of streamflow, nutrient and sediment concentrations and sediment loads at Big Spring Run, Lancaster County, Pennsylvania, 2009-2015. *USGS Scientific Investigations Report*.

Lautz L. and R. Fanelli. 2008. Seasonal biogeochemical hotspots in the streambed around stream restoration structures. *Biogeochemistry*. 91:85-104.

Law, N., B. Stack, R. Starr and E. Yagow. 2015. Designing sustainable stream restoration projects within the Chesapeake Bay watershed. Chesapeake Bay Partnership. STAC Publication No. 15-003. Edgewater, MD. 50 pp.

Lennon, K. and S. Lowe. 2018. Alternative headwater channel and outfall crediting: SHA and Howard County example projects. Presentation to Group 2 on 11/20/2018.

Lessard, J. and D. Hayes. 2003. Effects of elevated water temperature on fish and macro-invertebrate communities below small dams. *River Research and Applications*.

Levi, P. and P. McIntyre. 2020. Ecosystem responses to channel restoration decline with stream size in urban river networks. *Ecological Applications*. In press.

Lowe, S. 2016. Alternative TMDL Protocol 3 for floodplain sedimentation. Prepared by McCormick Taylor, Inc. for Office of Environmental Design, Maryland State Highway Administration.

Lu, J., Q. Zhang, A. Werner, Y. Li, S. Jiang and Z. Tan. 2020. Root-induced changes of soil hydraulic properties – a review. *Journal of Hydrology*. 589: 125-203.

Lucas, S., T. Scott, C. Lane and T. Schueler. 2016. The pond protocol: visual indicators for maintaining and managing legacy stormwater ponds. Chesapeake Stormwater Network. Ellicott City, MD.

Martens, D. 1995. Denitrification. *Encyclopedia of Soils in the Environment*. USDA Agricultural Research Service, Tucson, AZ.

Maryland State Highway Administration (SHA). 2018. Alternative headwater channel and outfall crediting protocol. Maryland Dept of Transportation.

Mayer, P. 2019. Unintended consequences of urban stream restoration. Presentation to Group 4 on 12/2/2019. U.S EPA. Office of Research and Development. Corvallis, OR. <https://chesapeakestormwater.net/download/9869/>

Mayer, P., P. Groffman, E. Striz, and S. Kaushal. 2010. Nitrogen dynamics at the groundwater and surface water interface of a degraded urban stream. *Journal of Environmental Quality*. 39:810-823.

Mbaka, J. and M. Mwaniki. 2015. A global review of the downstream effects of small impoundments on stream habitat conditions and macroinvertebrates. *Environmental Reviews*. www.nrcresearchpress.com/er March 2015.

McCullough, M. and C. Andersen. 2018. Preliminary review of four VDOT projects applying the Maryland protocol. 12/14/2018 Memo to Tracey Harmon, VDOT. Prepared by Stantec, Inc. for Group 2.

McMillan, S. and G. Noe., 2017. Increasing floodplain connectivity through urban stream restoration increases nutrient and sediment retention. *Ecol. Eng.* 108:284–295. doi:10.1016/j.ecoleng.2017.08.006.

Merritts, D., R. Walter and M. Rahnis. 2010. Sediment and nutrient loads from stream corridor erosion along breached mill ponds. Franklin and Marshall University.

Merritts, D., Walter, R., Rahnis, M., Hartranft, J., Cox and 10 others. 2013. The rise and fall of Mid-Atlantic streams: Millpond sedimentation, milldam breaching, channel incision, and stream bank erosion, in DeGraff, J.V., and Evans, J.E., eds., *The Challenges of Dam Removal and River Restoration*: Geological Society of America Reviews in Engineering Geology, 21: 183– 203.

- Merritts, D., R. Walter, M. Rahnis, J. Hartranft, S. Cox, A. Gellis, N. Potter and 20 others. 2011. Anthropocene streams and base-level controls from historic dams in the unglaciated mid-Atlantic region. USA. *Philos. Trans. R. Soc.* 369: 976-1009.
- Miller, J. and R. Kochel. 2010. Assessment of channel dynamics, instream structures, and post-project channel adjustments in North Carolina and its implications to effective stream restoration. *Environmental Earth Science*. 59:1681-1692.
- Miller, A., M. Baker, K. Boomer, D. Merritts, K. Prestegard, and S. Smith. 2019. Legacy sediment, riparian corridors, and total maximum daily loads. STAC Publication Number 19- 001, Edgewater, MD. 64 pp.
- Moore, R., D. Spittlehouse, and A. Story. 2005. Riparian microclimate and stream temperature response to forest harvesting: a review. *Journal of the American Water Resources Association*. 41(4): 813 – 834.
- Morgan, R., K. Kline and S. Cushman. 2007. Relationships among nutrients, chloride and biological indices in urban Maryland streams. *Urban Ecosystems*.
- Mueller Price, J., D. Baker and B. Bledsoe. 2016. Effects of passive and structural stream restoration approaches on transient storage and nitrate uptake. *River Res. Applications*. 32: 1542–1554. DOI: 10.1002/rra.3013.
- Mulholland, P., R. Hall, D. Sobota, W. Dodds and 24 others. 2009. Nitrate removal in stream ecosystems measured by N-15 addition experiments: denitrification. *Limnology and Oceanography*. 54(3):666-680.
- National Research Council (NRC). 1995. *Wetlands: Characteristics and Boundaries*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/4766>.
- National Research Council. 2011. *Achieving Nutrient and Sediment Reduction Goals in the Chesapeake Bay: an evaluation of program strategies and implementation*. National Academy of Science Press. Washington, DC.
- Natural Resources Conservation Service (NRCS). 2005. Technical Note #9: Terminology and definitions associated with revegetation. *Plant Materials – 9*. Spokane, Washington.
- Natural Resources Conservation Service (NRCS). 2007. Stream Restoration Design. National Engineering Handbook, Part 654. U.S. Department of Agriculture, Natural Resources Conservation Service.
- Newman B., B. Wilcox and R. Graham. 2004. Snowmelt-driven macropore flow and soil saturation in a semiarid forest. *Hydrological Processes*. 18: 1035–1042. doi:10.1002/hyp.5521.

Newcomer Johnson, T.; S. Kaushal, P. Mayer and M. Grese. 2014. Effects of stormwater management and stream restoration on watershed nitrogen retention. *Biogeochemistry*. 121: 81–106.

Newcomer-Johnson, T., S. Kaushal, P. Mayer, R. Smith and G. Svirich. 2016. Nutrient retention in restored streams and rivers: a global review and synthesis. *Water* 2016. 8: 116. doi:10.3390/w8040116.

Niederlehner B., J. O'Brien, J. Potter, R. Sheibley, D. Sobota and S. Thomas. 2008. Stream denitrification across biomes and its response to anthropogenic nitrate loading. *Nature*. 452(7184): 202-205. DOI: 10.1038/nature06686.

Noe, G. 2013. Interactions among hydrogeomorphology, vegetation, and nutrient biogeochemistry in floodplain ecosystems. *Treatise on Geomorphology*. 12: 307–321.

Noe, G., C. Hupp and N. Rybicki. 2013. Hydrogeomorphology influences soil nitrogen and phosphorus mineralization in floodplain wetlands. *Ecosystems*. 16:75–94.

Noe, G., C. Hupp, E. Schenk, K. Hopkins, K. Krauss, S. McMillan, D. Kroes, S. Ensign, D. Hogan, P. Claggett, K. Wolf, A. Korol, C. Ahn, and K. Boomer. 2019a. Rates, controls, and impacts of floodplain deposition and streambank erosion in the mid-Atlantic: natural and restored systems. U.S. Geological Survey. Presentation to Group 4 on 10/10/19. <https://chesapeakestormwater.net/download/9954/>

Noe, G., K. Boomer, J. Gillespie, C. Hupp, M. Martin-Alciati, K. Floro, E. Schenk, A. Jacobs and S. Strano. 2019b. The effects of restored hydrologic connectivity on floodplain trapping vs. release of phosphorus, nitrogen, and sediment along the Pocomoke River, Maryland USA. *Ecological Engineering*. 138: 334-352.

Noguchi, N., Y. Sidle and I. Hosoda. 1997. Spatially distributed morphological characteristics of macropores in forest soils of Hitachi Ohta experimental watershed, Japan. *Journal of Forest Research*. 2: 207–215. doi:10.1007/BF02348317.

Non-Tidal Wetland Expert Panel (NTW EP). 2019. Nontidal wetland creation, rehabilitation and enhancement: recommendations for nitrogen, phosphorus and sediment effectiveness estimates for nontidal wetland best management practices. CBP/TRS-327-19. Chesapeake Bay Program, Annapolis, MD.

Noonan, M., J. Grant and C. Jackson. 2012. A quantitative assessment of fish passage efficiency. *Fish and Fisheries*. 13: 450-464. doi.org/10.1111/j.1467-2979.2011.00445.

O'Neal, M. and J. Pizzuto. 2010. The rates and spatial patterns of annual riverbank erosion revealed through terrestrial laser-scanner surveys of the South River, Virginia. *Earth Surf. Process. Landforms*. 36: 695–701.

Orzetti, L., R. Jones and R. Murphy. 2010. Stream conditions in Piedmont streams with restored riparian buffers in the Chesapeake Bay watershed. *Journal of American Water Resources Association*. 46(3): 473-485.

Palmer, M., E. Bernhardt, J. Allan, P. Lake, G. Alexander and 14 others. 2005. Standards for ecologically successful river restoration. *Journal of Applied Ecology*. 42: 208-217.

Palmer, M., J. Allan, J. Meyer and E. Bernhardt. 2007. River restoration in the twenty-first century: data and experiential knowledge to inform future efforts. *Restoration Ecology*. 15(3): 472-481.

Palmer M., S. Filoso and R. Fanelli 2014. From ecosystems to ecosystem services: Stream restoration as ecological engineering. *Ecological Engineering*. 65: 62–70.

Parola, A., P. Mayer, and K. Forshay. 2019. Adjusting the base denitrification rate for site conditions. [Unpublished analysis for Group 4]. University of Louisville.

Pezeshki, S. and R. DeLaune. 1999. Effect of flooding on elemental uptake and biomass allocation in seedlings of three bottomland tree species. *Journal of Plant Nutrition*. 22(9): 1481-1494. doi: 10.1080/01904169909365729.

Pezeshki, S. and R. DeLaune. 2012. Soil oxidation-reduction in wetlands and its impact on plant functioning. *Biology*. 1: 196-221.

Pizzuto J., W. Hession, and M. McBride. 2000. Comparing gravel-bed rivers in paired urban and rural catchments of southeastern Pennsylvania. *Geology*. 28: 79–82.

Pizzuto, J., M. O'Neal and S. Stotts. 2010. On the retreat of forested, cohesive river banks. *Geomorphology*. 116:341-352.

Pizzuto, J., M. O'Neal, P. Narinesingh, K. Skalak, D. Jurk, S. Collins and J. Calder. 2018. Contemporary fluvial geomorphology and suspended sediment budget of the partly confined, mixed bedrock-alluvial South River, Virginia, USA. *Bulletin*. 130(11-12): 1859-1874.

Pouyat, R., I. Yesilonis, J. Russell-Anelli, and N. Neerchal. 2007. Soil chemical and physical properties that differentiate urban land-use and cover types. *Soil Science Society of America Journal*. 71(3):1010-1019.

Rosgen, D. 1996. *Applied River Morphology*. Wildland Hydrology. Pagosa Springs, CO.

Rosgen, D. 2001. A practical method of computing stream bank erosion rate. Proceedings of the Seventh Federal Interagency Sedimentation Conference. Vol. 2, March 25-29, 2001, Reno, NV.

Rosgen, D. 2006. *Watershed Assessment of River Stability and Sediment Supply*. Wildland Hydrology. Pagosa Springs, CO.

Rosgen, D. 2008. *River Stability Field Guide*. Wildland Hydrology. Pagosa Springs, CO.

Salant N., J. Schmidt, P. Budy and P. Wilcock. 2012. Unintended consequences of restoration: Loss of riffles and gravel substrates following weir installation. *Journal of Environmental Management*. 109: 154-163.
<https://doi.org/10.1016/j.jenvman.2012.05.013>

Schnabel, R., L. Cornish, and W. Stout. 1995. Denitrification rates at four riparian ecosystems in the Valley and Ridge physiographic province, Pennsylvania. Pages 231-234. In: *Clean Water, Clean Environment -21st Century*. Volume III: Practices, Systems, and Adoption. Proceedings of a conference March 5-8, 1995 Kansas City, M. American Society of Agricultural Engineers, St. Joseph, Mich. 318 pages.

Schoeneberger, P., D. Wysocki and E. Benham. 2012. Field book for describing and sampling soils. Version 3.0. Natural Resources Conservation Service, National Soil Survey Center, Lincoln, NE.

Schueler, T. 1994. Pollutant dynamics of pond muck. *Watershed Protection Techniques*. 1(2): 39-46.

Schumm, S., M. Harvey and C. Watson. 1984. Incised channels: morphology, dynamics, and control. Water Resources Publications, Littleton, CO.

Scott, D., J. Gomez-Velez, C. Jones and J. Harvey. 2019. Floodplain inundation spectrum across the United States. *Nature Communications* 10:5194.
doi.org/10.1038/s41467-019-13184-4.

Scott, T., C. Lane and T. Schueler. 2013. Bioretention illustrated: a visual guide for constructing, inspecting, maintaining and verifying bioretention practices. CSN Technical Bulletin # 10. Chesapeake Stormwater Network. Ellicott City, MD

Shuai, P., M. Bayani Cardenas, P. Knappett and P. Bennett. 2017. Denitrification in the banks of fluctuating rivers: The effects of river stage amplitude, sediment hydraulic conductivity and dispersivity, and ambient groundwater flow, *Water Resour. Res.* 53: 7951– 7967, doi:[10.1002/2017WR020610](https://doi.org/10.1002/2017WR020610).

Simon, A. and C. Hupp. 1986. Geomorphic and vegetative recovery processes along modified Tennessee streams: an interdisciplinary approach to disturbed fluvial systems. *Forest Hydrology and Watershed Management*, IAHS-AISH Publ.167.

Simon, A. and A. Collison. 2002. Quantifying the mechanical and hydrologic effects of riparian vegetation on streambank stability. *Earth Surface Processes and Landforms*. 27: 527-546.

Sivirichi, G., S. Kaushal, P. Mayer, C. Welty, K. Belt, K. Delaney, T. Newcomer and M. Grese. 2011. Longitudinal variability in streamwater chemistry and carbon and nitrogen fluxes in restored and degraded urban stream networks. *Journal of Environmental Monitoring*. 13: 208-303.

Smith, S. and P. Wilcock. 2015. Upland sediment supply and its relation to watershed sediment delivery in the contemporary mid-Atlantic piedmont. *Geomorphology*. 232: 33-46.

Stack, W., L. Fraley McNeal and J. Fox. 2018. Crediting water quality benefits from stream restoration: implementation case studies and potential for crediting guidance application. Water Research Foundation and the Center for Watershed Protection.

STAC, 2018. Factors influencing the headwater, non-tidal, tidal and mainstem fish habitat function in the Chesapeake Bay watershed: application to restoration and management decisions. STAC Report No. 18-006. Edgewater, MD.

Starr, R. and W. Harman. 2015a. Valley restoration project design review checklist. CBPO-S15-05. Chesapeake Bay Field Office. U.S. Fish and Wildlife Service. Annapolis, MD.

Starr, R. and W. Harman. 2015b. Valley restoration project design review checklist. CBPO-S15-04. Chesapeake Bay Field Office. U.S. Fish and Wildlife Service. Annapolis, MD.

Starr, R. and W. Harman. 2016. Function-based stream restoration project process guidelines. CBPO-S16-03. Chesapeake Bay Field Office. U.S. Fish and Wildlife Service. Annapolis, MD.

Stewart, S., E. Gemmill, and N. Pentz. 2005. An evaluation of the functions and effectiveness of urban riparian forest buffers. Baltimore County Department of Environmental Protection and Resource Management. Final Report Project 99-WSM-4. Water Environment Research Foundation.

Stewart, S. 2008. Spring Branch subwatershed: small watershed action plan. Baltimore County Department of Environmental Protection and Resource Management. Towson, MD.

Striz, E., and P. Mayer. 2008. Assessment of near-stream ground water-surface water interaction (GSI) of a degraded stream before restoration. EPA/600/R-07/058. U.S. Environmental Protection Agency.

Sudduth, E., B. Hasset, P. Cada, and E. Bernhardt. 2011. Testing the field of dreams hypothesis: functional responses to urbanization and restoration in stream ecosystems. *Ecological Applications*. 21(6): 1972-1988.

Teskey, P. and T. Hinckley. 1977a. Impact of water level changes on woody riparian and wetland communities. Volume I: plant and soil responses to flooding. FWS/OBS-77/58.

Teskey, P. and T. Hinckley. 1977b. Impact of water level changes on woody riparian and wetland communities. Volume IV: Southern Forest Region. FWS/OBS-77/59.

Teskey, P. and T. Hinckley. 1978. Impact of water level changes on woody riparian and wetland communities. Volume IV: Eastern Deciduous Forest. FWS/OBS-78/87.

Thompson et al. 2018. The multi-scale effects of stream restoration on water quality. *Ecological Engineering*. 124: 7-18

Trimble, S. 2013. Effects of riparian vegetation on stream channel stability and sediment budgets. DOI: [10.1029/008WSA12](https://doi.org/10.1029/008WSA12).

Tullos, D., D. Penrose and G. Jennings. 2006. Development and application of a bioindicator for benthic habitat enhancement in the North Carolina Piedmont. *Ecological Engineering*. 27: 228-241.

Tuttle, A., S. McMillan, A. Gardner and G. Jennings. 2014. Channel complexity and nitrate concentrations drive denitrification rates in urban restored and unrestored streams. *Ecol. Eng.* 73: 770-777. doi:10.1016/j.ecoleng.2014.09.066.

US EPA (U.S. Environmental Protection Agency). 1986. [Test Methods for Evaluating Solid Waste](#). Volume IA: 3rd Edition. EPA/SW-846. National Technical Information Service. Springfield, VA.

US EPA. 2000. Principles for the ecological restoration of aquatic resources. EPA: 841-F-00-003. Office of Water (4501F), United States Environmental Protection Agency, Washington, DC.

US EPA. 2008. Methods for Evaluating Wetland Condition: Wetland Hydrology. Office of Water, U.S. Environmental Protection Agency, Washington, DC. EPA-822-R-08-024.

US EPA. 2010. Chesapeake Bay Phase 5.3 Community Watershed Model. EPA 903S10002 - CBP/TRS-303-10. U.S. Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis MD. December 2010.

US EPA. 2012. Bank Erosion Prediction (BEHI, NBS). http://water.epa.gov/scitech/datait/tools/warsss/pla_box08.cfm

US EPA. 2015. Connectivity of streams and wetlands to downstream waters: a review and synthesis of the scientific evidence. EPA/600/R-14/475F. U.S. Environmental Protection Agency, Washington, DC.

US FWS (U.S. Fish and Wildlife Service). 2016a. Standards for Rosgen Bank Erosion Hazard Index. U.S. Fish and Wildlife Service. Chesapeake Bay Field Office. Annapolis, MD.

US FWS. 2016b. Standards for Estimating Near Bank Stress. U.S. Fish and Wildlife Service. Chesapeake Bay Field Office. Annapolis, MD.

Urban Stormwater Working Group (USWG). 2014. Final recommended guidance for verification of urban stormwater BMPs. Chesapeake Bay Program (CBP) Partnership. Annapolis, MD.

USWG. 2016. Process for handling urban BMP decision requests. USWG Memo Approved February 2016. Chesapeake Bay Program (CBP) Partnership. Annapolis, MD.

USWG. 2018. Formation of technical groups to improve stream restoration protocols. Memo approved September 28, 2018 by USWG and Stream Health Work Group. Chesapeake Bay Program (CBP) Partnership. Annapolis, MD.

Urban Stream Restoration Expert Panel (USR EP, 2014). Recommendations of the expert panel to define removal rates for individual urban stream restoration practices. Test-Drive Revisions Approved by the WQGIT. September 8, 2014.

Van Eps, M., J. Formica, T. Morris, J. Beck and A. Cotter. 2004. Using a bank erosion hazard index (BEHI) to estimate annual sediment loads from streambank erosion in the west fork white river watershed. American Society of Agricultural and Biological Engineers, St. Joseph, MI.

Violin, C., P. Cada, E. Sudduth, B. Hassett, D. Penrose and E. Bernhardt. 2011. Effects of urbanization and urban stream restoration on the physical and biological structure of stream ecosystems. *Ecological Applications*. 21(6): 1932-1949.

Voli, M., D. Merritts, R. Walter, E. Ohlson, K. Datin, M. Rahnis, L. Kratz, W. Deng, W. Hilgartner and J. Hartranft. 2009. Preliminary reconstruction of a pre-European settlement valley bottom wetland, southeastern Pennsylvania. *Water Resources Impact*. 11: 11-13.

Walter, R., D. Merritts and M. Rahnis. 2007. Estimating volume, nutrient content, and rates of streambank erosion of legacy sediment in the piedmont and valley and ridge physiographic provinces, southeastern and central, PA. A report to the PA Department of Environmental Protection.

Walter R. and D. Merritts. 2008. Natural streams and the legacy of water-powered mills. *Science*. 319: 299-304.

Walter, R., D. Merritts, M. Rahnis, M. Langland, D. Galeone, A. Gellis, W. Hilgartner, D. Bowne, J. Wallace, P. Mayer and K. Forshay. 2013. Big Spring Run natural floodplain,

stream, and riparian wetland. Final Report to Pennsylvania Department of Environmental Protection. Harrisburg, PA:

Wang, X., Ma, C., Wang, Y. 2020. Effect of root architecture on rainfall threshold for slope stability: variabilities in saturated hydraulic conductivity and strength of root-soil composite. *Landslides*. 17: 1965–1977. <https://doi.org/10.1007/s10346-020-01422-6>

Water Quality Goal Implementation Team (WQGIT). 2016. Revised protocol for the development, review and approval of loading and effectiveness estimates for nutrient and sediment controls in the Chesapeake Bay Watershed Model. US EPA Chesapeake Bay Program. Annapolis, MD.

Weber, N., N. Bouwes, M. Pollock, C. Volk, J. Wheaton and G. Wathen. 2017. Alteration of stream temperature by natural and artificial beaver dams. *PLoS ONE*. 12(5): e0176313. <https://doi.org/10.1371/journal.pone.0176313>

Weil, R. and N. Brady. 2016. *The Nature and Properties of Soils*. Pearson; 15th edition.

Weitzman, J., K. Forshay, J. Kaye, P. Mayer, J. Koval and R. Walter. 2014. Potential nitrogen and carbon processing in a landscape rich in mill-dam legacy sediments. *Biogeochemistry*. 120: 337-357.

Weller, D., M. Baker and T. Jordan. 2011. Effects of riparian buffers on nitrate concentrations in watershed discharges: new models and management implications. *Ecological Applications*. 21(5): 1679-1695.

Wenger, S. and 20 others. 2009. Twenty-six key research questions in urban stream ecology: an assessment of the state of the science. *Journal of the North American Benthological Society*. 28(4): 1080-1098.

Wetland Expert Panel (WEP). 2016. Wetlands and wetland restoration: recommendations of the wetland expert panel for the incorporation of non-tidal wetland best management practices (BMPs) and land uses in the Phase 6 Chesapeake Bay Watershed Model. Chesapeake Bay Program Office. Annapolis, MD.

Wheaton J., J. Brasington, S. Darby and D. Sear. 2010. [Accounting for uncertainty in DEMs from repeat topographic surveys: improved sediment budgets](#). *Earth Surface Processes and Landforms*. 35(2): 136-156. DOI: [10.1002/esp.1886](https://doi.org/10.1002/esp.1886).

Williams, M., R. Wessel and S. Filoso. 2016. Sources of iron (Fe) and factors regulating the development of flocculate from Fe-oxidizing bacteria in regenerative stormwater conveyance structures. *Ecological Engineering*. 95: 723-737.

Williams, M., G. Bhatt, S. Filoso and G. Yactayo. 2017. Stream restoration performance and its contribution to the Chesapeake Bay TMDL: challenges posed by climate change in urban areas. *Estuaries and Coasts*. doi: 10.1007/s12237-017-0226-1

Williams, M. 2019. Unintended/negative consequences of stream restoration. University of Maryland, College Park. Presentation to Group 12/2/2019.
<https://chesapeakestormwater.net/download/9873/>

Wood, D., L. Fraley-McNeal and B. Stack. 2018. Frequently asked questions: urban stream restoration BMP. Approved by Urban Stormwater Work Group in February 2018. Chesapeake Bay Program Office.