Date: January 4, 2014

To: Urban Stormwater Work Group

From: Norm Goulet, Chair

Urban Stormwater Workgroup

Tom Schueler, Stormwater Coordinator

Chesapeake Bay Program

Re: Background on the Crediting Protocols for Nutrient Reduction

Associated with Installation of Homeowner BMPs

This memo outlines the protocol developed and approved by the USWG to allow localities to get nutrient reduction credit in the Chesapeake Bay Watershed Model for the installation of verifiable homeowner BMPs.

Section 1. Background on Homeowner BMPs

Homeowner BMPs refers to the installation of one or more of the following practices on existing residential properties:

- Rain gardens
- Rainwater harvesting
- Downspout disconnections or dry wells
- Permeable hard-scapes (e.g., sidewalks/driveways)
- Urban nutrient management
- Tree planting
- Impervious cover removal

These practices may be installed by the homeowner or by a private contractor.

Increasingly, Bay communities are providing technical assistance and financial incentives to homeowners to install these practices. As of October 2013, more than 50 communities or watershed groups in the Bay watershed were offering assistance or incentives (see Appendix D in CSN, 2013). Financial incentives include discounts on stormwater utility fees and direct subsidies/rebates to the homeowners.

While the nutrient reduction associated with each individual stewardship practice is quite small, they can become substantial if they are multiplied over hundreds or thousands of properties. Some estimates of the potential nitrogen reduction for different levels of stewardship practice implementation can be found in Appendix B of this memo.

Many communities have expressed interest whether homeowner BMPs qualify for nutrient reduction credit in the Chesapeake Bay Watershed Model, and if so, what process needs to be followed to report, track and verify them.

Section 2 Elements of an Effective Crediting System for Homeowner BMPs.

During 2013, more than 30 stormwater stakeholders have worked together to develop a framework for crediting homeowner BMPs in the Bay Model, including EPA CBPO, CSN, MDE, ACB, WSA, UMD Extension, and many local governments and watershed groups. Through this process, the group came to consensus on the technical approach to crediting homeowner BMPs, as follows:

- The crediting system needs to be responsive to the needs of homeowners and local and state government agencies, and EPA's regulatory need for accurate and verifiable BMP tracking.
- The crediting system can only accept homeowner BMPs for which the CBP has currently approved protocols for defining and verifying removal rates. Three expert panel reports have been recently approved that provide this critical technical support:
 - Stormwater Retrofits (new on-site retrofits)
 - Urban Nutrient Management
 - Urban Tree Planting
- Localities may choose to track homeowner practices that are not yet approved by CBP (e.g., shoreline erosion control or conservation landscaping), but will not get credit until an expert panel determines the nature of the reduction credit for that practice.
- Each homeowner BMP must have a specific geographic address and a finite lifespan (5 years), after which it automatically expires unless substantiation is provided that it still exists and is working as designed. In addition, the initial installation of each practice must be verified by an on-site inspection.
- To qualify for credit, homeowner BMPs will need to be designed and installed to a minimum technical standard, regardless of whether they are installed by a homeowner or private contractor.
- The crediting portal for homeowners must be simple, convenient, and internet and/or smart phone driven. Homeowners also need rapid and easy access to resources on homeowner BMP assessment, design, installation and maintenance, as well as links to any technical assistance or financial incentives.

- Local governments may elect to opt out of the homeowner BMP crediting program if they feel the nutrient reduction credits are not worth the increased staffing costs for reporting, tracking and verification.
- State governments reserve the authority to approve local homeowner BMP programs for pollutant reduction crediting, and ensure their reporting conforms with their urban BMP reporting and tracking databases.

Section 3. Tools and Resources Developed During the Pilot Phase

During 2013, the homeowner BMP crediting system was piloted in Maryland to develop and test the tools and resources needed to make it happen. The basic framework for the pilot phase is shown in Figure 1, which shows the roles of homeowner and governmental agencies, the core tools needed by each partner, and how practices would be reported, tracked and verified.




Figure 1: Framework for Piloting the Homeowner BMP Credit

The pilot program emphasized the development of website tracking and reporting tools, design guidance, nutrient reduction calculation spreadsheets and visual inspection checklists for homeowner BMPs. The tools were collectively tested in Howard County, MD in 2013 to see how well they worked.

Four key homeowner BMP support tools have been or are being developed that are freely offered to local and state governments in the Bay watershed but are obviously binding on none.

- The SMART tool. This GIS and internet based tool was developed by Towson University and University of Maryland, Watershed Extension. The tool allows homeowners to upload their BMP data to a local website, where the data is checked, tracked and verified. The SMART tool incorporates the "nutrient cruncher spreadsheet developed by CSN to calculate aggregate load reductions, using the adjustor curves recommended by the retrofit expert panel. The tool is currently being piloted in four Maryland communities, and will be available for MD communities in early 2014. A Virginia version of the SMART tool is currently planned for release in 2014.
- Homeowner Guide for a More Bay-Friendly Property. This guide was produced by CSN and 16 other collaborators and provides a visual approach on how to assess your property for homeowner BMPs, and provide a step by step approach on how to design, construct and maintain them (CSN, 2013a). The open source guide can be customized to meet the needs and requirements of Bay communities and watershed groups. The guide provides the minimum design standards for individual homeowner practices to receive credit in the Watershed Model, while avoiding the use of complex engineering criteria and equations.
- Chesapeake RiverWise Program Development Manual. This manual is currently being developed by the Alliance for the Chesapeake Bay and its RiverWise partners. The primary purpose of the manual is to provide communities and watershed groups with options on how to develop or enhance their homeowner BMP incentives programs. Topics include key steps in developing effective programs, including standards for private contractors, and tips on streamlining reporting, tracking and verification. The Manual is scheduled to be available in early 2014.
- Bioretention Illustrated: A Visual Guide for Constructing, Inspecting, Maintaining and Verifying the Bioretention Practice. This Technical Bulletin provides the overall framework for rapid visual inspection of LID practices, using 18 simple indicators to determine if the practice is working or not, and how to diagnose and fix major maintenance problems that are limiting performance (CSN, 2013b). Many of the indicators can be adapted to rapidly assess the condition of homeowner BMPs.

Section 4. Technical Data on Individual Homeowner BMPs

Table 1 describes which expert panel BMP reports are associated with each individual homeowner BMP and the technical data used to establish a nutrient credit.

Table 1 Link Between Expert Panel Reports and Homeowner BMPs Credits					
Individual BMP	Status	Notes			
Rain Garden	Approved	Define DA and rainfall depth treated by each			
Rain Barrel	Approved	individual practice and then use the retrofit			
Permeable Pavement	Approved	adjustor curves of expert panel for on-site retrofits			
Downspout Disconnection	Approved				
UNM Pledge ¹	Approved	Define turf area (TA) and associated removal rates			
UNM Plan, Hi Risk ²	Approved	based on risk factor for each individual urban			
		nutrient management plan or pledge, as specified			
		in expert panel report			
Conservation Landscaping ³	None	Convert turf to meadow			
Tree Planting	Interim/	Interim rate exists for sf of tree canopy, but an			
	Pending	expert panel is expected to modify rate in 2104			
Impervious Cover Removal 4	N/A	Impervious cover converted to pervious cover			
Impervious Cover Removal 4					

Notes:

- ¹ May not acceptable in some Bay states
- ² Communities in MD may not be eligible for this credit
- ³ Not currently being accepted for crediting, although it will be addressed by a future expert panel
- 4 Model as a land use change from impervious load to pervious load

Table 1 provides the unit load reductions associated with individual homeowner practices, using the protocols recommended by the expert panels and some basic assumptions about sizing and drainage area treated in residential situations. For this example, the CBWM state-wide unit loading rates for pervious and impervious land in MD were used to provide the initial loads.

CSN has developed a spreadsheet known as the "nutrient cruncher" which other states can modify to develop their own nutrient reduction estimates for homeowner BMPs. Please contact Cecilia Lane at watershedgal@hotmail.com if you would like a copy.

Table 1 also shows the homeowner supplied input data needed to compute the credit, and the default credit values for practices that meet the minimum design treatment capacity.

Most importantly, Table 1 shows the short credit durations for homeowner BMPs (3 to 5 years) after which a verification inspection is needed to extend the credit. By contrast, all other retrofit practices have a credit duration of 10 years. This reflects concerns about homeowner BMP longevity, the capacity of owners to perform maintenance and potential changes in property ownership over time.

Table 2 How Unit Removal Rates Would Be Derived and Default Values							
	Credit	Homeowner	Default Rate	BMP Removal		Unit Nutrient	
Homeowner		Supplied	For the BMP	Rates		Load Reduced Per	
BMP		Input	Credit		T 45 3	BMP (lbs)	
		0-0-10		TN(%)	TP(%)	TN	TP
Rain Garden		sf Roof Area/sf	RT= 1 in,	60	70		
	5 yrs	Rain Garden * RG depth (in)	DA= 500 sf		, -	0.10	0.014
Rain Barrel		sf Roof Area/cf of	RT =0.17 in 3				
	5 yrs	barrel capacity ²	DA= 500 sf	28	33	0.05	0.006
Permeable		sf of permeable	RT= 0.5 in				
Pavement	5 yrs	pavement * 0.4 (storage depth)	DA=1000 sf	45	52	0.16	0.020
Downspout		sf of roof area/sf	RT = 0.5 in			_	
Disconnection	5 yrs	of filter path 4	DA = 500	45	52	0.08	0.010
UNM Pledge	3 yrs	Lawn Size in sf	TA=5000 sf	6	3	0.075	0.0015
UNM Plan,		Lawn Size in sf &	TA =5000 sf				
Hi Risk	3 yrs	Risk factor(s)		20	10	0.25	0.005
Conservation	0.7770	Landscaping	CA = 500 sf			0.044	000
Landscaping	3 yrs	Area (sf)				0.044	.002
Tree Planting		# of trees	Tree = 100 sf			0.0014	
(per tree)	5 yrs					0.0014	
Impervious		Impervious	Varies ¹	Varies	Varies	Varies	Varies
Cover Removal	5 yrs	Cover removed (sf)					
M . DE . C.11			1 D.	1 .	L	N. (D. (D.)	

Notes: RT = rainfall depth treated, sf = square feet, in= inches, DA=drainage area to BMP, TA= turf area UNM= Urban nutrient management, CA= area of conservation landscaping

¹Varies across the watershed; use of CAST/VAST/MAST to determine exact rates ²conversion of gallons to cubic feet is 0.1337 ³ for standard 55 gallon barrel ⁴ assume a three feet wide filter path


The actual nutrient reductions credited by homeowner BMPs will actually be computed by Scenario Builder, based on the aggregate state acreage reported. Consequently, the load reductions shown in Table 1 for individual homeowner BMPs are only a general estimate. Similarly, the "default rates" shown in Table 1 are only for the purposes of providing quality control in order to spot-check and validate individual BMP data that is submitted by homeowners/localities.

Section 4. Hypothetical Example of How the Credits Work at the Site Scale

The following example shows the general "chain of custody" for homeowner BMP data as it flows from the individual property to local governments, state reporting agencies, and ultimately, to CBP Scenario Builder. Localities should check with their state reporting agency to see what specific reporting, tracking and verification requirements apply to them.

Tom has an old house on a half acre lot in Bay County. He wants to make a difference in the Bay, so he contacts Joe at Bay County who conducts an on-site visit to assess homeowner BMP potential on his property. Based on the assessment, Tom builds five rain gardens that treat all of his rooftop runoff, installs a permeable driveway, and signs a pledge to follow the core urban nutrient management practices on his lawn (see Figure 2).

Figure 2: Aerial Photo of the Old House Example and Tom's UNM Pledge.



Tom then makes some measurements of the land cover on his property, and provides some simple notes on the dimensions of his BMPs, and then uploads his information to the Bay County website (Table 2).

Table 2: What Tom Uploads to the Bay County Website						
LOT COVERAGE	Area:	% of	Notes			
	Square Feet	Lot				
Impervious Cover		28%				
Rooftop	3360		All downspouts served by rain gardens			
Driveway/Sidewalk	2790		Sized to treat half inch of rain			
Pervious Cover		72%				
Trees/Landscaping	5500		Many large trees on lot			
Rain Garden	600		Rain gardens are 6 inches deep			
Lawn	9530		Employs core UNM practice			
TOTAL	21,780					

A week later, a Bay County employee named Joe conducts an on-site visit with Tom to confirm the practices were properly installed and check to make sure Tom estimated his areas correctly. Joe checks off on the homeowner practices, takes a few digital photos and gives Tom some maintenance information.

Joe goes back to the office and enters Tom's data into the SMART Tool that calculates the unique load, BMP removal rates and load reductions for the property. Joe checks to see if Tom was able to meet the 20% nutrient removal threshold set by Bay County to designate his home as a Bay Friendly Home. Joe sends Tom a nice certificate, and saves Tom's data in his files (Table 3).

Table 3 Calculated Nutrient Reductions for Tom's Old House								
(edge of stream loads, in pounds)								
LOT COVERAGE	BMP	TN	TP	TN	TP	Lbs TN	Lbs TP	Year
		LOAD	LOAD	RR	RR	Reduced	Reduced	Installed
Impervious		2.16	0.04					
Cover		2.10	0.24					
Rooftop	Yes	1.18	0.13	60	70	0.71	0.09	2011
Driveway/Sidewalk	Yes	0.98	0.11	45	52	0.44	0.06	2012
Pervious Cover		3.88	0.15					
Trees/Landscaping	No	1.51	0.06	0	0			
Lawn	Yes	2.36	0.09	6	3	0.14	0.003	2012
TOTAL		6.04	0.39			1.29	0.153	
						21%	38%	

Note: all the outputs shown above are produced by SMART tool based on the input Tom provided for his old house and information pre-loaded into CAST.

Near the end of 2015, Joe uses CAST to aggregate the number of practices and associated load reductions from the 1350 homeowner BMPs that he certified during the year. The CAST inputs and outputs are then submitted to Ginny at Bay State in his MS4 Annual report.

Table 4 How Bay County Reports Homeowner BMPs to State Each Year								
	Edge of stream loads, in pounds							
Practice	Numbers	Acres	N Reduction	P Reduction				
		Treated	(lbs)	(lbs)				
Rain Gardens	600	6.8	44	7				
Rain Barrels	100	0.5	6	1				
Permeable	25	0.8	8	1				
Pavement								
UNM Plans	125	31.25	21	9				
Tree Planting	500	1.15	7	4				
			84	22				

Note: The County only reports the aggregate number of homeowner BMPs by land-river segment and their cumulative nutrient reduction

Ginny does a quick quality control check to make sure loading and removal rates are reasonable, and then adds it to the other 50 counties and cities from Bay state that also submitted homeowner BMPs data for the reporting year.

Like Joe, Ginny uses CAST to aggregate the data on practice numbers, acres treated and mass load reductions into a format that can be analyzed by the Chesapeake Bay Program models (i.e., an "input deck"), and then sends it on to Jeff at CBPO who cross checks the BMP data, and then enters it (along with other urban BMP data) into the 2014 watershed Model Progress Run.

Jeff lets Ginny know that homeowner BMPs for this year contributed 0.25% to the state's nutrient reduction goal for the urban sector, but also lets him know that these relatively small reduction will really start to add up over the next decade.

Ginny checks in with Joe a few years later to make sure he is maintaining his homeowner BMP files, and verifying they still exist. As a result, Joe contacts Tom to find out if his practices still exist. It turns out that Tom has sold the house, and the new owner has no interest in maintaining any of the practices. Joe goes back to his files, pulls Tom's nutrient reduction records, and reports them as a small subtraction in his aggregate load reduction in his next annual report to Ray.

Section 5. Remaining Work to Be Done

While a good framework for crediting homeowner BMPs has been established, more work still needs to be done to promote more widespread delivery of these practices in the Bay watershed. These include:

- Outreach webcasts to demonstrate new tools and resources in 2014
- Training and certification programs for property auditors, and homeowner BMP designers and installers
- Further piloting of SMART tool in other MD counties and VA
- Homeowner BMP specs and construction guides for private contractors
- Further work on rapid verification of homeowner BMPs.

Appendix A. Prospective Impact of Homeowner BMPs on Nutrient Load Reductions Maryland Case Study.

Load Reductions: The MD Phase II WIP (MDE, 2012) outlines the final load nutrient load reductions from the stormwater sector in Maryland (residential, commercial, industrial, institutional and transport)

Total Nitrogen 1,930,000 lbs 1% = 19,300 Total Phosphorus 220,000 lbs 1% = 2,200

Residential Land. 60% of MD's 2010 Population (5,773,552) live in single family detached residential homes (US Census, 2010). Given MD household size of 2.61 person, this suggests that there are 1,327,250 single family detached homes in the state. According to Kopits et al (2009), the median lot size in Maryland is 0.25 acres, so it is conservatively estimated that there are about 332,000 acres of detached single family homes in the state.

MDP estimates that there are between 1.3 to 1.6 million acres of residential land in state, which is skewed upward by the recent growth of large lot development. It should be noted that the MDP estimates include townhouses and multi-family residential, as well as publicly owned road and right of way that links them together. Based on data contained in the UNM expert panel report (Aveni et al, 2012), there are about 411,000 acres of fertilized residential turf in the state (642 square miles)

Reality Check: if 1% of all homes in the state installed homeowner BMPs, what is potential load reduction?

An estimate was made using the following technical assumptions:

- 1% = 13,272 homes
- Convert to acres assuming median lot size = 3,318 acres
- Use MD state-wide unit area CBWM nutrient load assuming 28% impervious cover and 72% pervious cover for quarter acre residential lots (Cappiella and Brown, 2000) = 12.05 lbs/ac/yr for TN and 0.78 lbs/ac/yr for TP
- Assume Homeowner BMPs have maximum removal of 20%

Estimated TN Load Reduction: 7,996 lbs/yr or about half of the 1% MD load reduction target for the urban stormwater sector

Estimated TP Load Reduction: 518 lbs/yr or about a quarter of the 1% MD load reduction target from the stormwater sector.

While the impact of homeowner BMPs seems trivial, it could increase to about 5 to 10% of the target load reduction if:

- On-site BMPs for non-residential urban land are included (churches, businesses, institutions, etc.)
- More UNM plans are written for high risk turf
- Homeowner participation rate increases due to better local or state incentives
- Participation rate increases over time (i.e., more than a decade until the 2025 TMDL deadline)

Appendix B. Potential Aggregate Nutrient Reduction by Different Levels of Homeowner BMP Implementation

The unit load reductions for individual homeowner BMPs are multiplied by different levels of BMP implementation to provide a sense of the aggregate nutrient reductions that could be achieved in the table below:

The Power of Homeowner BMP Multiplication for TN Reduction (lbs/yr)							
Homeowner BMP	# of BMPs Implemented Over Time						
	1	100	1,000	10,000	100,000		
Rain Garden	0.1	10	100	1000	10,000		
Rain Barrel	0.05	5	50	500	5,000		
Permeable Pavement	0.16	16	160	1600	16,000		
Downspout Disconnection	0.08	8	80	800	8,000		
UNM Pledge	0.075	7.5	75	750	7,500		
UNM Plan, Hi Risk	0.25	25	250	2500	25,000		
Conservation Landscaping	0.044	4.4	44	440	4,400		
Tree Planting	0.0014	0.14	1.4	14	140		

References

Aveni et al. 2012 CBP-Approved Final Report on Defining Removal Rates for Urban Nutrient Management Practices. Chesapeake Stormwater Network, Ellicott City, MD.

Cappiella, K and K, Brown. 2000. Impervious Cover and Land Use in the Chesapeake Bay. Center for Watershed Protection

Chesapeake Stormwater Network (CSN). 2013a. *Homeowner Guide for a More Bay-Friendly Property*. Ellicott City, MD.

http://chesapeakestormwater.net/2013/04/homeowner-bmp-guide/

Chesapeake Stormwater Network (CSN). 2013b. *Bioretention Illustrated: A Visual Guide for Constructing, Inspecting, Maintaining and Verifying the Practice*. Ellicott City, MD. <a href="http://chesapeakestormwater.net/wp-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/downloads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-content/uploads/2013/04/REVIEW-DRAFT-OF-BIORETENTION-con

ILLUSTRATED-040113.pdf).

Center for Watershed Protection. 2009. *Technical Report: Stormwater BMPs in Virginia's James River Basin – An Assessment of Field Conditions and Programs*. Center for Watershed Protection. Ellicott City, MD.

Kopits et al. 2009. Lot Sizes, Zoning and Household Preferences. RFF DP 09-15. Resources for the Future. Washington, DC.

MDE. 2011. Accounting for stormwater waste load allocation and impervious cover treated, guidance for NPDES stormwater permits.

MDE. 2012. Maryland's Phase II Watershed Implementation Plan for the Bay TMDL.

MDP, 2011. Statistics on share of MD population living in single family detached housing.

Stormwater Performance Standards Expert Panel (SPSEP). 2012. Recommendations of the expert panel to define removal rates for new state stormwater performance standards. Approved by Chesapeake Bay Water Quality Goal Implementation Team. Annapolis, MD.

www.chesapeakebay.net/.../Final_CBP_Approved_**Expert_Panel_Report_**on_ Stormwater_Performance_Standards_SHORT.pdf

Stormwater Retrofit Expert Panel (SREP). 2012. Recommendations of the expert panel to define removal rates for urban stormwater retrofit projects. Approved by Chesapeake Bay Water Quality Goal Implementation Team. Annapolis, MD.

http://www.chesapeakebay.net/publications/title/stormwater_retrofits_expert_panel

http://www.chesapeakebay.net/publications/title/stormwater_retrofits_expert_panel_report_with_appendices

US Census. 2010. Statistics on MD population and household size